

ESS Worst Case Peak Scenario MSS Worst Case Peak Scenario WinGUI / WebGUI Peak Scenario	Comment of the last of the las				~~~	j⊳ O	NV-EP-PRT	III
Worst Case Peak Scenario Worst Case Peak Scenario	γ.Λin.v.		delica est socialests.	600	<u>ာ</u> ယူ	Ω Þ	NW-EP-PCC	3
	MSS		Ŋ	180	1.031)>	NW-EP-INT	2
	ESS		ometičkama k. 1500 čio.	360	14.925)>	NW-EP-ESS	Z
ntext	% KN/IC Shorttext	LRL IV.	Java IV.	Thinkt * Java IV	ConcUser*	AP T	Element	田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田
							Jear Insert	Delete/Clear
					Portal Portal	Enterprise	Table 1: Active Users - Enterprise Portal	able 1:
					t: Change	orise Portal	SAP NetWeaver -> Enterprise Portal: Change	PNetwo
Add. sizing guidelines (English)	Help				ng headers	Values Lor	Check input Use Default Values Long headers	eck inpu
						were saved	The data for PORTAL were saved.]] The d
								Messages
& <u>All</u>	▼ Method		Owner Customer		Status In progress 🔻	Status	ys 220	Work days
							Project VENDOR-FUTURE	ject VE

State of North Carolina Office of the State Controller

Table 2: Active Users - Enterprise Portal Logon

Clear Insert

Element

NW-EP-LOG

<u>स</u> इ.स.

표 분

Max. no. of logons Short text

56.250 | Worst Case Peak Scenario



TOTAL TO SERVICE TO SE

PORTAL*	Solution	Active (Messages	∫ Work days	Project	9 3 5
.* 0.0		lsers to	r results : e system	99 es	days	VENDOR	7 (i)
Enumerica de la Companya de la Compa	Release CPU cat. SAPS (total) Memory (MB) Disk cat. Disk (total, MB)	Active Users for mySAP Business Solutions	For results at different aggregation levels, choose another result level. The system automatically saved the data for PORTAL.		220	Project VENDOR-FUTURE	
	Ω 	Busin	nt aggreg ∋ally say		Š.	T leve	F
10.600	APS (tote	iss Solu	jation lev ed the da		Status In progress 🔻	SAP SOIL) =] .
	J. Men	tions	els, choo da for PC		progress	ATION .	1:-1
35.328	PY (%B)		ise anoth IRTAL.		i		
	Disk ca	1	er result		Owner		I man
	t. Diski	Mario Carlos Car	level.		er Customer	charts	
	(total, MB				lomer	Details	
					R	▼ With charts Details Set to final	
					Method	ocumenta	
						Hardwa	
						umentation Hardware vendors Dis	
AND THE STATE OF T						ā	



- Results:
- Normal Scenario
- 3,000 SAPS
- 9,984 MB Memory
- Peak Scenario
- 10,600 SAPS
- 35,328 MB Memory
- Disk 50 GB
- Assumptions
- Knowledge Management and Collaboration (KMC) not in scope
- That Peak ESS, MSS, and WinGUI/WebGUI do not / can not occur at the same time

for version 7.0 differences Quick Sizer based on version 6.0. Some additions may be needed

State of North Carolina Office of the State Controller



State of North Carolina Office of the State Controller



- Factors Affecting Sizing
- Scope
- Sizing Parameters
- HCM Baseline sizing
- HCM Historical sizing
- FI incremental sizing



STATE OF NORTH CAROLINA
Office of the State Controller



- activity in the system. of these groups there is further breakdown describing the users groups, BPS or planning and BI reporting and analysis. Within each type of concurrent users, these are broken down into two main user The main factor affecting CPU / Memory sizing is the number and
- **BPS User Groups**
- BPS User group are broken down based on their activity levels in 4 areas
- Steps: Number of planning steps per user
- ChngRec: Average number of records per planning step
- Data/St: Max number of records manipulated by one step
- Data/Usr: Max number of records a user changes simultaneously
- The sizing tool has 3 default groups for users.
- data has been entered into the tool BPS is currently not in scope for the State of North Carolina hence no



- BI Reporting and Analysis User Groups
- BI Users are further differentiated based on the types of criteria used for defining this activity are reporting and analysis performed in the system. The key
- % predRep: Time spent on viewing predefined and static reports (%)
- % OLAP: Time spent on OLAP analysis (%)
- % Explr.: Time spent on Data exploration (%)
- values): There are 3 types of users identified in the tool (default
- BW-INFO: Information Consumer (80% predRep, 20%
- BW-EXEC: Executive User (50% predRep, 50% OLAP)
- BW-POWER: Power User (100% Explr)
- The default values for usage will be kept for this sizing



- system (number and type of InfoProviders) and the expected system is the amount of data to be retained for on-line reporting The main criteria affecting the amount of storage required for a BI number of records (annual basis) to be loaded into the system The amount of data can be calculated based on the design of the
- design criteria for developing sizing estimates of InfoProviders InfoProvider Design - The quick sizer tool uses the following
- InfoCube sizing is based on the number of dimensions and KeyFigures contained within the cube
- Dimensions in HR cube (default): 10
- KeyFigures in HR cube (default): 11
- and number fields contained in the DataStore structure. There are DataStore object sizing is based on the number of character fields no default values in the sizing tool.
- For the purposes of this sizing exercise a preliminary list of KeyFigures, numeric fields and character fields has been input into these has been reviewed and the input data for dimensions InfoProviders has been developed. The business content for each of



- InfoProvider Data
- records based on periodic information The quick sizer tool calculates the number of data
- Initial Load: This is the estimated number of records which will be loaded into the InfoProvider
- Period. Upload.: Number of records loaded during the periodic upload process
- Total number of uploads that will be kept in the cube
- For this sizing exercise it was assumed there would be 3 data would be kept in the system years data loaded initially and that an additional 7 years
- Historical PMIS data is not included in the baseline sizing. account for history. However an additional sizing effort was completed to

DEACON HR & payroll

State of North Carolina Office of the State Controller



- The following HR functional areas were reviewed with the functional team leads to determine their potential applicability to BI Scope
- In Scope for this sizing exercise
- Payroll
- Time Management
- Training and Event Management
- Personnel Development
- Personnel Administration
- Organizational Management
- Personal Cost Planning and Simulation
- Compensation Management
- Benefits
- Cross-Application Timesheet

- Out of Scope
- Objective Setting and Assessments
- E-Recruiting
- Enterprise Compensation Management
- Recruitment
- Pension Fund
- Strategic HR
- Learning Solution



Payroll

- DataStore Objects

- 0PY_PP_C1: Auditing Information and Payroll Data 0PY_PP_C2: Posting Documents 0PY_PP_C3: Posting Documents and Auditing Information Combined
- InfoCubes
- 0PY_C02: Employee-Specific Payroll Data 0PY_PP2: Posting Documents
- 0PY_PPC01: Auditing Information on Postings Relevant to Cost Accounting
- MultiProvider
- 0PY_MC02: HR MultiCube (Time and Payroll Data)
- **Business Content Not in Scope**
- 0PY_PPC02: Auditing Info on Postings for PBC
- Time Management
- InfoCube
- 0PT_C01: Time and Labor



- Training and Event Management
- InfoCube
- 0PE_C01: Training and Event Management
- **Business Content Not In Scope**
- 0PE_C02: Professional Training Provider
- 0PE_C03: Resource Reservation
- Personnel Development
- InfoCubes
- 0PAPD_C01: Qualifications
- 0PAPD_C02: Appraisals
- Personnel Administration
- InfoCubes
- 0PAPA_C02: Headcount
- 0PA_C01: Headcount and Personnel Actions
- DataStore Object
- 0PA_DS04: Employee Education



- Organizational Management
- DataStore Objects
- 0PA_DS02: HR Structural Authorizations Values
- 0PA_DS03: HR Structural Authorizations Hierarchy
- InfoCube
- 0PAOS_C01: Staffing Assignments
- Personal Cost Planning and Simulation
- InfoCube
- 0PACP_C01: Personnel Cost Plans
- 0PACP_C02: Planned Personnel Costs Per Cost Object
- MultiProvider
- 0PAC_MC01: Plan / Actual Comparison of Personnel Costs



- Compensation Management
- InfoCubes
- 0PACM_C01: Compensation Analyses
- 0PACM_C02: Adjustments
- 0PACM_C05: Personnel Cost Planning
- Business Content not in Scope
- 0PACM_C03: Awards
- 0PA_DS01: Security Prices
- Benefits
- InfoCube
- 0PABN_C01: Benefits